

由于产品不断更新换代，所有信息和图片如有更改恕不另行通知。

Due to the constant upgrading of products, all information and pictures of products are subject to change without notice in advance.

JIANGMEN TINGS DRINKING WATER EQUIPMENT CO., LTD.

**20 YEARS PROFESSIONAL MANUFACTURER
FOR BEVERAGE PACKING MACHINERY
AND WATER TREATMENT SYSTEM**
20年专业饮料包装机器与水处理系统生产商



TINGS

JIANGMEN TINGS DRINKING WATER EQUIPMENT CO., LTD.

CATALOG

产品目录

江门天使饮水设备有限公司

JIANGMEN TINGS DRINKING WATER EQUIPMENT CO., LTD.

No. 182, North Duruan Road, Duruan Town, Pengjiang District, Jiangmen City, Guangdong, China

+86 750 3289853 Postal Code: 529050

jm-tanjun@163.com

地址: 中国广东省江门市蓬江区杜阮镇杜阮北路182号

邮编: 529050 电邮: jm-tanjun@163.com

电话: 13702272648 传真: 0750-3289853

QQ: 2881003228



TINGS

江门天使饮水设备有限公司
<http://www.jmtings.com>



CONTENTS

COMPANY INTRODUCTION 公司简介



..... P3

WATER TREATMENT SYSTEM 水处理系统



UF ULTRAFILTRATION SYSTEM
超滤系统 P5



RO REVERSE OSMOSIS SYSTEM
反渗透系统 P7

BEVERAGE MIXING SYSTEM 饮料调配系统



..... P11

BOTTLE BLOW MOLDING SYSTEM 吹瓶系统



AUTOMATIC BOTTLE BLOW MOLDING SYSTEM
全自动吹瓶系统 P12



SEMI-AUTOMATIC BOTTLE BLOW MOLDING SYSTEM
半自动吹瓶系统 P13

FILLING MACHNIE 灌装机



FILLING MACHNIE (FOR 0.2 TO 2L BOTTLES)
小瓶灌装机 (0.2 至 2L瓶) P14



FILLING MACHNIE (FOR 3 TO 20L BOTTLES)
大容量瓶灌装机 (3 至 20升瓶) P16



3 OR 5 GALLON BOTTLE WATER FILLING MACHNIE
3或5加仑桶装水灌装机 P17



CANNED DRINKS FILLING AND SEALING MACHINE
易拉罐灌装封盖机 P18

CODE PRINTING, LABELING & PACKING EQUIPMENT



打码、套标与包装等生产线后续工序相关设备 P19

PRODUCTION LINE PROCESS FLOW DIAGRAM 生产线工序流程图




WATER & JUICE BOTTLING, CAN DRINKS PRODUCTION
瓶装水和果汁生产线、易拉罐饮料生产线等 P20

TINGS QUALIFICATION HONOR

Jiangmen Tings Drinking Water Equipment Co., Ltd. has been focusing on the equipment manufacturing of water treatment system and beverage bottling production line for years. We have mature technology and rich manufacturing experience. SGS, CE, National Credibility certificates prove our strength.

江门天使饮水设备有限公司多年来一直专注于水处理系统和瓶装水饮料灌装生产线的设备生产。技术成熟、经验丰富。我司通过了SGS、CE等机构的认证。





公司简介

江门市天使饮水设备有限公司，位于中国广东省江门市，专营水处理设备和饮料生产线设备，是行内技术领先的生产商之一。我们的团队是从事并热衷于这行业已有20年多年的一群人。

Jiangmen Tings Drinking Water Equipment Co., Ltd. located in Jiangmen City, Guangdong Province of China, is one of the leading manufacturer of water treatment equipment and beverage bottling production line. We are a group of people who work in and passionate about this industry for over 20 years.

我们的主要产品包括水处理系统和一站式饮料（瓶装、罐装、袋装或杯装）生产线设备。生产线设备包括吹瓶机、饮料灌装机、套标贴标机、膜包机等，一应俱全。



Our main prodcuts include water treatment system and turnkey beverage production line (bottled, canned, bagged or cupped beverage). The equipment for beverage prodcuton line include bottle blow moulding machine, beverage filling machine, labeling machine and packaging machine.

20年以来，我们一直秉承顾客至上与服务第一的原则，给客户提供专业的技术方案、优质的售后服务和质量过硬的产品，享誉国内外。在我们的共同努力下，我司产品已达到业内领先水平。

Over the pass 20 years, we have been carrying on our principle of customer first and service first, and provided professional consultation and high-quality after-sales service to customers while keep the best product quality, thus we won high reputation from both domastic and oversea market. With the efforts of our experienced R&D team, our technology has reached the leading level in our industry.

我们不断开拓进取，不断提高产品和服务质量，希望成为你真诚可靠合作伙伴的。
We Keep forging ahead to improve our technology, service and product quality, and aim to became your most professional and trustworthy business partner.

UF Process Flow 超滤水处理流程图



Process Description 流程说明

1. Booster pump 增压泵

It provides stable water source and pressure to the whole system.
为整个水处理系统提供足够的供水量和压力。

2. Quartz sand filter 石英砂过滤器

It removes the suspended solid and gluten particles in the raw water.
用于过滤原水中的胶体或固体颗粒杂质。

3. Activated carbon filter 活性炭过滤器

It removes the colors and smells of the raw water to improve the water's flavor.
用于去除原水中的颜色和气味，从而改善水的口感。

4. Precise filter 精密过滤器

It can filter the particle impurity substance in the raw water from the pretreatment system.
它能过滤掉来自的前处理系统的颗粒杂质。

5. UF Membrane system 超滤膜系统

It filters most of the unwanted substances to make clean water.
用于过滤原水中多余微细杂质，从而得到干净的成品水。

6. UV sterilizing device 紫外线灭菌总成

It sterilizes the bacteria in the water. 用于杀灭水中的细菌。

7. Ozone Machine 臭氧机

It is for further sterilizing the product water by water circulation to prolong the quality guarantee period.
用于通过水循环持续对成品水杀菌消毒，从而延长成品水的保质期。

APPLICATION 适用于

Daily use, pure water, beverage production, food processing, and other industries, etc.
日常用水、饮用纯净水、饮料生产用水、食物加工以及其他的工业用水等等。

RELATED PRODUCTS INCLUDING 相关设备包括

Pretreatment System : Raw Water Tank, Quartz Sand Filter, Activated Carbon Filter, Precise Filter

预处理系统 : 原水塔、石英砂过滤器、活性炭过滤器、精密过滤器

Membrane Separation System : UF Membrane, UF Main Machine

膜分离系统 : 超滤膜、超滤主机

Sterilization System : UV Sterilizing Device, Ozone Machine



灭菌系统 : 紫外线灭菌设备、臭氧机

TECHNICAL PARAMETERS 技术参数

NO. 序号	ITEM NO. 产品型号	CAPACITY 产能
1	TS-UF-1T	1000L (1m ³)/H
2	TS-UF-2T	2000L (2m ³)/H
3	TS-UF-3T	3000L (3m ³)/H
4	TS-UF-4T	4000L (4m ³)/H
5	TS-UF-5T	5000L (5m ³)/H
6	TS-UF-6T	6000L (6m ³)/H
7	TS-UF-15T	15000L (15m ³)/H



RO Process Flow 反渗透水处理流程图



Process Description 流程说明

1. Booster pump 增压泵

It provides stable water source and pressure to the whole system.
为整个水处理系统提供足够的供水量和压力。

2. Quartz sand filter 石英砂过滤器

It removes the suspended solid and gluten particles in the raw water.
用于过滤原水中的胶体或固体颗粒杂质。

3. Activated carbon filter 活性炭过滤器

It removes the colors and smells of the raw water to improve the water's flavor.
用于去除原水中的颜色和气味，从而改善水的口感。

4. Water softener 软水器

It softens the water by oxidizing the calcium ion and magnesium ion in the raw water with cation.
通过离子交换使原水中的钙镁离子氧化，从而降低原水的硬度。

5. Precise filter 精密过滤器

It can filter the particle impurity substance in the raw water from the pretreatment system.
它能过滤掉来自的前处理系统的颗粒杂质。

6. Multistage Pump 多级泵

It provides stable water supply and sufficient pressure to the reverse osmosis membrane system.
它为反渗透膜系统提供充足的水流量和压力。

7. RO Membrane system 反渗透膜系统

It filters most the unwanted substances to make pure water.
用于过滤原水中多余微细杂质，从而得到干净的纯净成品水。

8. UV sterilizing device 紫外线灭菌总成

It sterilizes the bacteria in the water. 用于杀灭水中的细菌。

9. Ozone Machine 臭氧机

It is for further sterilizing the product water by water circulation to prolong the quality guarantee period.
用于通过水循环持续对成品水杀菌消毒，从而延长成品水的保质期。

APPLICATION 适用于

Daily use, pure water, beverage production, food processing, and other industries, etc.
日常用水、饮用纯净水、饮料生产用水、食品加工以及其他的工业用水等等。

RELATED PRODUCTS INCLUDING 相关设备包括

Pretreatment System : Raw Water Tank, Quartz Sand Filter, Activated Carbon Filter, Water Softener, Precise Filter
预处理系统 : 原水塔、石英砂过滤器、活性炭过滤器、软水器、精密过滤器

Membrane Separation System : RO Membrane, RO Main Machine
膜分离系统 : 反渗透膜、反渗透主机

Sterilization System : UV Sterilizing Device, Ozone Machine
灭菌系统 : 紫外线灭菌设备、臭氧机

TECHNICAL PARAMETERS
技术参数

NO. 序号	ITEM NO. 产品型号	CAPACITY 产能
1	TS-RO-0.5T	500L (0.5m³)/H
2	TS-RO-1T	1000L (1m³)/H
3	TS-RO-2T	2000L (2m³)/H
4	TS-RO-3T	3000L (3m³)/H
5	TS-RO-4T	4000L (4m³)/H
6	TS-RO-5T	5000L (5m³)/H
7	TS-RO-6T	6000L (6m³)/H
8	TS-RO-8T	8000L (8m³)/H
9	TS-RO-10T	10000L (10m³)/H
10	TS-RO-12T	12000L (12m³)/H
11	TS-RO-15T	15000L (15m³)/H
12	TS-RO-20T	20000L (20m³)/H
13	TS-RO-25T	25000L (25m³)/H
14	TS-RO-30T	30000L (30m³)/H
15	TS-RO-50T	50000L (50m³)/H




FUNCTION & ADVANTAGES **功能与优势**

- ◆ Raw water filtration
原水过滤
- ◆ Advanced RO membrane auto wash and auto backwash
先进的自动反渗透膜冲洗和反冲洗功能
- ◆ Advanced protection device: auto stop when it is rack of raw water
引进高级保护装置：自动缺水即停功能
- ◆ Auto stop when pure water storage level is high, auto start when it is low
成品水水位过高自动关闭系统，低水位自动重启功能
- ◆ Auto power-off for low voltage, excessive current, short circuit, leakage of electricity
发生电压过低，电流过大，短路，漏电等情况是，系统自动停止运作

OPTIONAL EQUIPMENT **可选配的设备**

- ◆ Advanced PLC with touch screen control, intelligent programing system, save time and easy to operate
高端触屏控制面板，智能编程系统，操作简便不费时



- ◆ Imported famous brand inverter, save energy and porlong the service life of the machine
引进进口名牌变频器，节能且可延长设备的使用寿命





FUNCTION 功能介绍

The system is used to produce product beverage before the filling and packing process by mixing all ingredients.
此系统的功能是在灌装和包装工序前将所需饮料成分混合为成品饮料。

The ingredients depend on different beverage formulas, such as: syrup, sweetener, food additives, pulps or granules, CO₂ or nitrogen, alcohols, etc.
饮料所需成分包括糖浆、甜味剂、食品添加剂、果肉或果粒、二氧化碳或氮气、还有酒精等等，被按照不同的比例混合而成的。

After high temperature sterilization and cooling, the beverage is ready for filling and packing process.
经过高温消毒杀菌后，成品饮料即可用于灌装和包装工序。

APPLICATION 适用于

It is used as a pre-treatment system for hot filling or carbonated soft drink filling production line.
它是被用作热灌装或含气饮料灌装线的前处理系统。

RELATED PRODUCTS INCLUDING 相关设备包括

Mixing System : Sugar melting tank, syrup filter, juice pump, double filter, mixing tank, insulation tank, homogenizer, vacuum degasser, UTH sterilizing system, CIP cleaning system, CO₂ filter, CSD mixer, chiller, water cooling tower, etc.
调配系统：化糖锅、糖浆过滤器、果汁泵、双联过滤器、调配罐、保温罐、均质机、真空脱气机、瞬时高温消毒杀菌机、CIP清洗系统、CO₂过滤器、汽水混合机、冷冻机组等等。



AUTOMATIC BOTTLE BLOW MOLDING SYSTEM

全自动吹瓶系统 0.2 - 1.5L



It is equipped with PLC control system which is easy to operate. It works automatically and stably in high speed.
采用先进微电脑控制，操作简单，高效，性能稳定。

Rotary infrared lamp preform heating and conveying, ensure every piece of preform is heated evenly.
旋转式瓶胚输送与红外线加热，确保每个瓶胚受热均匀。

Every mechanical process has a security self-lock. When an error happens in one of the process, the system will be locked and power off automatically.
每个机械工序都有安全自锁功能。当某一个工序出现故障时，系统会自动上锁并且终止运作。

APPLICATION 适用于

All kinds of PET bottles, such as mineral water, juice or carbonated drinks bottles, sauce or oil bottles, lotion bottles, etc.
适用于所有PET瓶子，如矿泉水、果汁或含气饮料瓶子，酱油瓶，油瓶，乳液瓶等等。

TECHNICAL PARAMETERS 技术参数

MODEL NO. 型号	TS-A3	TS-A4	TS-A6	TS-A4S	TS-A8S	TS-A8S/2
CAPACITY 产能	2500-3000BPH	3500-4000BPH	5500-6000BPH	7000-9000BPH	12000-13000BPH	12000-15000BPH
BOTTLE MATERIAL 耗材	PET Preform PET瓶胚	PET Preform PET瓶胚	PET Preform PET瓶胚	PET Preform PET瓶胚	PET Preform PET瓶胚	PET Preform PET瓶胚
MOULD CAVITY 模腔	3 Cavities	4 Cavities	6 Cavities	4 Cavities	8 Cavities	8 Cavities
BOTTLE VOLUME 瓶子容量	0.2 - 1.5L	0.2 - 1.5L	0.2 - 1.5L	0.2 - 0.6L	0.2 - 0.6L	0.2 - 1.5L
BOTTLE NECK 瓶口尺寸	Φ20 - 38mm	Φ20 - 38mm	Φ20 - 38mm	Φ20 - 38mm	Φ20 - 38mm	Φ20 - 38mm
WORKING VOLTAGE 工作电压	Customized 可制定	Customized 可制定	Customized 可制定	Customized 可制定	Customized 可制定	Customized 可制定
BLOWING PRESSURE 高压气	2.4m ³ /30 bar	3.0m ³ /30 bar	4.8m ³ /30 bar	3.0m ³ /40 bar	6.0m ³ /35 bar	10.0m ³ /35 bar
OPERATING PRESSURE 低压气	2.0m ³ /30 bar	2.0m ³ /30 bar	2.0m ³ /30 bar			

AFFILIATED EQUIPMENT 配套设备



SEMI-AUTOMATIC BLOW MOLDING SYSTEM

半自动吹瓶系统 0.2 - 2L, 3 - 10L, 10 - 20L



It is equipped with PLC control system which is easy to operate. Rotary infrared heating makes preforms heated evenly.

采用PLC控制器，操作便捷。旋转式红外线瓶胚均匀加热。

The direction of the heating lamps is adjustable to fit for different sizes of preforms. Every heating lamp has an independent heating control device, which ensure the preform has an ideal heating effect.

加热灯管方向可调节，以适应不同尺寸的瓶胚。每个加热灯管有独立的温控装置，以保证瓶胚有一个理想的加热效果。

Only one or two operators are needed, and it do need special training. Simple installation and maintainence.

仅需一到两个操作员，无需特别培训，且安装与维修简便。

TECHNICAL PARAMETERS 技术参数

MODEL NO. 型号	TS-B-I	TS-B-II	TS-C	TS-Y
CAPACITY 产能	600-900BPH	1500-1800BPH	300-500BPH	60-90BPH
BOTTLE MATERIAL 耗材	PET Preform PET瓶胚	PET Preform PET瓶胚	PET Preform PET瓶胚	PET Preform PET瓶胚
BOTTLE VOLUME 瓶子容量	0.2 - 2L	0.2 - 2L	3 - 10L	10 - 20L
MAX BOTTLE HEIGHT 最大瓶子高度	360mm	360mm	360mm	550mm
MAX BOTTLE DIA. 最大瓶子直径	Φ105mm	Φ105mm	Φ195mm	Φ300mm
POWER 总功率	5 - 14KW	5 - 14KW	17KW	40KW
WORKING VOLTAGE 工作电压	customized 可制定	customized 可制定	customized 可制定	customized 可制定
MOULD CAVITY 模腔	2 cavities	2x2 cavities	1 or 2 cavities	1 cavity
MOULD THICKNESS 模厚	220mm	220mm	280mm	380mm
MAIN MACHINE SIZE 吹瓶主机尺寸	1600*650*1620mm	1600*650*1620mm	1600*650*1620mm	2100*750*1800mm
PREFORM HEATER SIZE 瓶胚加热器尺寸	1600*650*1520mm	1600*650*1520mm	1600*650*1500mm	2100*750*1680mm



3 IN 1 FILLING MACHINE (RINSE-FILL-CAP)

三合一灌装机（洗瓶-灌装-封盖）

Suitable Liquid Type

适用于灌装的液体类型

Mineral Water
Pure Water
Juice
Milk
Carbonated Drinks
Energy Drinks
Beers
Wines & Spirits
Sauces
Oil
Alcohol
Pestiside
pharmaceutical Liquid
...etc...

矿泉水
纯净水
果汁
奶类饮料
含气饮料
能量饮料
啤酒
酒和烈酒
酱油
油
酒精
杀虫剂
医药液体
等等.....



PET Plastic Bottle Filling Machine
PET塑料瓶灌装机

Suitable Bottle Type

适用的瓶型

PET Plastic Bottles
Glass Bottles
Round or Sqare Shaped Bottles
...etc...

PET胶瓶
玻璃瓶
圆或方瓶
等等.....

Suitable Bottle Volume

适用的瓶子容量

0.2L to 2L Bottles 0.2至2升瓶子



Glass Bottle Filling Machine
玻璃瓶灌装机

Suitable Bottle Cap Type

适用的瓶盖类型

Plastic Screw Caps
Crown Caps
Aluminum Caps
Twist-off caps
Champagne Caps
...etc...

塑料旋盖
皇冠盖
铝盖
拧开盖
香槟盖
等等.....



Glass Bottle Filling Machine
玻璃瓶灌装机

FUNCTION

功能介绍

- ◆ Bottle rinsing, filling and capping 3 in 1 洗瓶、灌装和封盖3合1
- ◆ PLC control with touch screen, easy to operate, high efficiency PLC触屏控制，高效、操作简便
- ◆ Bottle caps auto feeding 自动上盖
- ◆ Auto stop when it is lack of bottles, caps or filling materials 缺瓶、盖或灌装物料时自动停止运行
- ◆ Advanced auto inner cooling and cleaning system 高端自动内部散热冷却和清洗系统

TECHNICAL PARAMETERS

技术参数

MODEL NO. 型号	CAPACITY 产能	CAPACITY 产能	CAPACITY 产能	CAPACITY 产能
	WATER FILLING 水灌装	HOT FILLING 热灌装	CSD FILLING 含气灌装	GLASS BOTTLE FILLING 玻璃瓶灌装
TSGX8-8-3	2000-3000BPH	2000-2500BPH	2500-2500BPH	2000-2500BPH
TSGX14-12-5	3000-5000BPH	3000-4500BPH	3000-4500BPH	3000-4500BPH
TSGX18-18-6	6000-9000BPH	6000-8000BPH	6000-8000BPH	6000-8000BPH
TSGX24-24-8	10000-12000BPH	10000-11000BPH	10000-11000BPH	10000-11000BPH
TSGX32-32-10	12000-15000BPH	12000-13000BPH	12000-13000BPH	12000-13000BPH
TSGX40-40-10	15000-18000BPH	15000-16000BPH	15000-16000BPH	15000-16000BPH
TSGX50-50-12	20000-24000BPH	20000-22000BPH	20000-22000BPH	20000-22000BPH

OPTIONAL EQUIPMENT

可选配的设备



1 Automatic Chain-plank Bottle Caps Conveying Machine 自动链板式瓶盖输送机

Bottle caps are automatically sorted and conveyed up to the filling machine in the same direction. 瓶盖将被自动地整理并按照相同方向输送到灌装机中。

2 Automatic Bottle Caps Washing and Sterilizing Device 自动洗盖杀菌消毒装置

Bottle caps are automatically washed and sterilized as they pass through this device on their way to the filling machine. 瓶盖在被输送到灌装机的途中经过此装置，它们将被彻底冲洗和杀菌消毒。

3 TO 10L FILLING MACHINE (RINSE-FILL-CAP 3 IN 1)

3至10升灌装机 (洗瓶-灌装-封盖 三合一)



TECHNICAL PARAMETERS

技术参数

MODEL NO. 型号	CAPACITY 产能	STATION 工位
		Rinse-Fill-Seal 洗瓶-灌装-封盖
GX1-1-1	60-150BPH	1-1-1
GX2-2-1	200-300BPH	2-2-1
GX3-3-1	350-400BPH	3-3-1
GX4-4-1	450-600BPH	4-4-1

ROTARY FILLING MACHINE

旋转式3合1灌装机

3-10L



TECHNICAL PARAMETERS

技术参数

MODEL NO. 型号	CAPACITY 产能	STATION 工位
		Rinse-Fill-Seal 洗瓶-灌装-封盖
GX8-8-4	800-1000BPH	8-8-4
GX15-15-5	1200-1500BPH	15-15-5

如需20L瓶灌装机，欢迎来样定制。



3 OR 5 GALLON BOTTLE WATER FILLING MACHINE

3或5加仑桶装水灌装机



TECHNICAL PARAMETERS		技术参数
MODEL NO. 型号	CAPACITY 产能	WORKING STATIONS 工位
XG-100	100BPH	1x3 stations 单排三工位
XG-200	200BPH	2x4 stations 双排四工位
XG-300	300BPH	2x6 stations 双排六工位
XG-450	450BPH	3x6 stations 三排六工位
XG-600	600BPH	4x8 stations 四排八工位
XG-900	900BPH	6x10 stations 六排十工位
XG-1200	1200BPH	6x13 stations 六排十三工位

RELATED EQUIPMENT FOR PRODUCTION LINE

桶装水灌装线相关设备

DECAP-BRUSHER

拔盖刷桶机



AUTO-DECAPPER

自动拔盖机



AUTO-BRUSHER

自动刷外桶机



AUTO-LOADER

自动上瓶机



LAMP CHECK BOX

灯检箱



SHRINK LABELING

蒸汽收膜封口



2 IN 1 CANNED DRINKS FILLING AND SEALING MACHINE

二合一易拉罐灌装机 (灌装-封盖)



TECHNICAL PARAMETERS		技术参数
MODEL NO. 型号	CAPACITY 产能	
XW12-4	150 cans/min (normal pressure filling) 150 罐/分钟 (常压灌装)	
XW18-4	250 cans/min (normal pressure filling) 250 罐/分钟 (常压灌装)	
XW24-6	300 cans/min (normal pressure filling) 300 罐/分钟 (常压灌装)	
XW36-6	400 cans/min (normal pressure filling) 400 罐/分钟 (常压灌装)	
XW20-4Q	150 cans/min (isobaric filling) 150 罐/分钟 (等压灌装)	
XW24-6Q	200 cans/min (isobaric filling) 200 罐/分钟 (等压灌装)	
XW30-6Q	260 cans/min (isobaric filling) 260 罐/分钟 (等压灌装)	

RELATED EQUIPMENT FOR PRODUCTION LINE

易拉罐灌装线相关设备

DEPALLETIZER

空罐卸垛机



CAN TWIST RINSER

倒罐洗罐器



LIQUID LEVEL CHECK

液位打检机



Shower Warmer

喷淋温瓶机



BLOW DRYER

吹干机



Can Shrink Wrapper

膜包机





CODE PRINTING, LABELING & PACKING, FOLLOW-UP PROCESS EQUIPMENT

打码、套标与包装等生产线后续工序相关设备

BOTTLE INVERT STERILIZER

倒瓶杀菌机



To lay down the bottle, so that the hot juice can sterilize the bacteria on the bottle cap.
该设备使瓶子平躺以便高温果汁杀灭瓶盖中的细菌。

SHRINK LABELING MACHINE

热收缩套标机



To sleeve the label onto the bottle and then shrink it by steam heating, so that the label is fixed firmly.
该设备通过套标并蒸汽收缩使标签紧附在瓶身上。

INKJET CODE PRINTER

油墨喷码机



To spray codes onto the bottle fastly and precisely by ink-jet printing.
该设备以油墨喷码方式把生产日期和条码印在瓶身上。

AUTOMATIC L-SHAPED SHRINK WRAPPER

全自动L型热收缩膜包机



To auto-wrap the beverage product by steam shrinking with prastic film.
该设备全自动以蒸汽热收缩方式将瓶装饮料用塑料膜包好。

SHOWER COOLING SYSTEM

喷淋冷却系统



To cool the hot drinks into normal temperature by spraying water shower.
该设备以水喷淋的方式使高温饮料温度降到常温。

STICKER LABELING MACHINE

直线型贴标机



To label the bottle by stickers precisely and speedily.
该设备能快速地吧不干胶标签准确并贴在瓶身上。

LASER CODE PRINTER

激光打码机



To spray codes onto the bottle fastly and precisely by laser printing.
该设备以镭射打码方式把生产日期和条码印在瓶身上。

BLOW DRYING MACHINE

吹干机



To blow and dry the water drop on the bottle after filling process and/or shower cooling/warming process.
该设备在灌装或喷淋冷却或温瓶后，吹干瓶身上的水滴。

OPP LABELING MACHINE

热熔胶贴标机



To label the bottle by hot melt glue precisely & speedily.
该设备快速高效利用热熔胶地把标签贴在瓶身上。

SEMI-AUTO SHRINK WRAPPER

半自动膜包机



To wrap the beverage product by steam shrinking with prastic film.
该设备以蒸汽热收缩方式将瓶装饮料用塑料膜包好。

AUTO LINEAR HIGH SPEED SHRINK WRAPPER

全自动直线型高速热收缩膜包机



To auto-wrap the beverage product by steam shrinking with prastic film.
该设备全自动以蒸汽热收缩方式将瓶装饮料用塑料膜包好。

PRODUCTION LINE PROCESS FLOW DIAGRAM

生产线工序流程图




AUTOMATIC BOTTLE WATER PRODUCTION LINE

全自动瓶装水生产线




SEMI-AUTO BOTTLE WATER PRODUCTION LINE

半自动瓶装水生产线




AUTOMATIC BOTTLE JUICE PRODUCTION LINE

全自动瓶装果汁生产线



CANNED DRINKS PRODUCTION LINE

易拉罐饮料生产线



Flicks all the nonqualified products off the conveyor belt.
不合格品将从输送带上被弹出。



Jiangmen Tings
Drinking Water Equipment Co., Ltd.

喷淋温瓶系统
Shower Warming Machine

二合一灌装封口机
Can Filling & Sealing Machine

倒瓶冲洗装置
Can Twist Rinser

空罐子卸垛机
Empty Can Depalletizer

吹干机
Blow Drying Machine

油墨喷码机
Code Ink-jet Machine

收缩膜包机
Shrink Wrapping Package Machine

Can Twist Conveyor
倒罐通道

Can Twist Conveyor
倒罐通道

液位打检机
Liquid Level Check Machine

内压打检机
Inner Pressure Check Machine